

Durafinish Industrial Flooring System


Durable, and built for demanding environments



We're proud to be accredited applicators of Cohe's Durafinish Epoxy Flooring System.

A high-build, solvent-free epoxy coating designed for areas where chemical, abrasive and impact resistance are essential. From food and beverage processing plants to industrial warehouses, workshops and garages, Durafinish delivers seamless, hygienic, and hard-wearing floors that last.

Together with Cohe, we provide flooring solutions that combine technical strength with a clean, attractive finish.



Why choose Durafinish?



Industrial strength performance

Exceptional chemical, oil, and petrol resistance.

Withstands heavy machinery, forklifts, and high traffic.

Resistant to water permeability, abrasion, and wear.



Hygienic & safe

Seamless, non-porous finish that is **easy to clean**.

Available with slip resistance ratings P4 and P5 for enhanced safety.

Ideal for environments where hygiene and safety are critical (food, dairy, pharma).



Versatile applications

Suitable for self-smoothing or textured coatings.

Works in **multi-layer systems** including broadcast and seal coats.

Excellent adhesion to concrete, fibreglass and steel (even damp substrates).

Product information

Recommended uses

- Food & beverage facilities
- Pharmaceutical plants & laboratories
- Warehouses & industrial workshops
- Garages & showrooms
- Shopping centres & retail spaces
- Health institutions & dairy companies
- Residential
- Swimming pools
- Garage floors

Technical specifications

- **Slip resistance:** P1 to P5 (system dependent)
- Water permeability: Excellent
- **Adhesion:** Strong bond to concrete, fibreglass, or steel
- **Gloss:** High-gloss seamless finish
- **Colours:** Grey + custom colours to order
- **Packaging:** Supplied as a two-pack system

Application highlights

- Solvent-free, 100% solids epoxy resin.
- Standard build: **0.3mm (2 coats)** | Heavy-duty build: **1.5mm (3 coats)** | With UV: **1.5mm + UV topcoat**.
- Moderate heat resistance: **120°C dry / 60°C wet**.
- Primer and preparation specification required before every project.
- Applied by trowel, roller, or squeegee.



Systems backed by partnership

As accredited applicators of Cohe flooring systems, we provide more than just an epoxy - we deliver confidence underfoot.

Whether you need to meet strict hygiene standards, handle industrial traffic, or achieve a high-end seamless look, Durafinish is the proven solution for demanding floors.

Three finish options to suit your project

Standard build (0.3mm, 2 coats)

- ✓ Smooth, seamless finish
- ✓ Ideal for light to medium-duty areas
- ✓ Cost-effective durability

Heavy-duty build (1.5mm, 3 coats)

- ✓ Thicker, more resilient layer
- ✓ Suitable for warehouses, processing plants & heavy machinery areas
- ✓ Excellent chemical and abrasion resistance

Heavy-duty + UV topcoat (1.5mm + UV)

- ✓ Maximum protection in high exposure areas
- ✓ Added gloss retention and resistance to yellowing/chalking
- ✓ Extended service life for premium projects

